Capitol Analysis
Precise, Accurate, Reliable, Affordable.

3011 Pacific Ave SE, Olympia, WA 98501
(360) 918-8795 WSLCB Lab# 22
Reports@CapitolAnalysis.com
www.CapitolAnalysis.com

Certificate of Analysis

Mountain Hi
19417 63rd Ave NE
Arlington, WA 98223
206-254-3005
412446

Manifest ID # WAJ412446.IT2F1KY
Pre-transfer Batch ID # WAJ412446.BANYM8I
Pre-transfer Inventory ID # WAJ412446.INVJAHZ
Lab Batch ID # WAL22.BAO49PJ
Lab Inventory ID # WAL22.INVT89Z
Client External ID # N/A

Sample Name: JR Live Resin Terp Dough
Sample Type: Concentrate, Hydrocarbon
Analysis: I-502 Compliance
Lab Sample ID # CA21040604-1
Received: 04/06/2021 by MD
Completed: 04/08/2021 by JP

71.44%	ND	71.44%	92.98%
Total THC	Total CBD	I-502 Cannabinoids	Total Cannabinoids

Total THC = THCa * 0.877 + Δ9-THC, Total CBD = CBDa * 0.877 + CBD, I-502 Cannabinoids = Total THC + Total CBD, Total Cannabinoids = Sum of all quantifiable cannabinoids listed.

Potency Profile

Analyte	*% by Mass*	*Mass (mg/g)*
CBDVA	ND	ND
CBDV	ND	ND
CBDA	ND	ND
CBGA	**1.92%**	**19.21**
CBG	ND	ND
CBD	ND	ND
THCV	ND	ND
THCVA	**1.99%**	**19.94**
CBN	ND	ND
d9-THC	**3.20%**	**31.96**
d8-THC	ND	ND
CBL	ND	ND
CBC	ND	ND
THCA	**77.82%**	**778.19**
CBCA	**8.05%**	**80.51**
CBLA	ND	ND
TOTALS	***92.98%***	***929.81***



Microbial Analysis

Analysis	*Pass/Fail*	*Result*	*Limit*	*Unit*
Aflatoxin	PASS	ND	20	ppb
Ochratoxin	PASS	ND	20	ppb
Enterobacteria	N/A	N/A	1,000	CFU/g
E. coli	N/A	N/A	1	n/a
Salmonella	N/A	N/A	1	n/a

Physical Analysis

Analysis	*Pass/Fail*	*Result*	*Limit*	*Unit*
Water Activity	N/A	N/A	0.65	a_w
Moisture	N/A	N/A	15.0	%
Foreign Matter	N/A	N/A	2.0	%
Stems >3mm	N/A	N/A	5.0	%

Residual Solvents

Analyte	*Pass/Fail*	*Result*	*Limit*	*Unit*
Acetone	PASS	ND	5,000	ppm
Benzene	PASS	ND	2	ppm
Butanes	PASS	ND	5,000	ppm
Cyclohexane	PASS	ND	3,880	ppm
Chloroform	PASS	ND	2	ppm
Dichloromethane	PASS	ND	600	ppm
Ethyl Acetate	PASS	ND	5,000	ppm
Heptanes	PASS	ND	5,000	ppm
Hexanes	PASS	ND	290	ppm
Isopropanol	PASS	ND	5,000	ppm
Methanol	PASS	ND	3,000	ppm
Pentanes	PASS	ND	5,000	ppm
Propane	PASS	ND	5,000	ppm
Toluene	PASS	ND	890	ppm
Xylenes	PASS	ND	2,170	ppm
TOTALS	--	N/A	--	ppm

Comments: None.

ND = Not Detected, N/A = Not Applicable

The reported results are based on a sample weight with the applicable moisture content for that sample included; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory.

FINAL RESULT:
PASS

L. Bowman, Lab Director

This product has been tested by Capitol Analysis using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Capitol Analysis makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Capitol Analysis. Sample was not collected by Capitol Analysis. Therefore, Capitol Analysis makes no claims that the sample is representative. Method Numbers: INT12g01v3 (Foreign Matter Inspection), INT12G06v4 (Potency), INT12G15v2.3 (Terpenes), INT12G07v4.2 (Residual Solvents), INT12G14v2 (Mycotoxins), INT12g16v3 (Water Activity), INT12G11v5 (3M™ Petrifilm), INT12G12v5 (3M™ MDS Salmonella), INT12G13v5 (3M™ MDS E. coli).